

Historic, Archive Document


Do not assume content reflects current scientific knowledge, policies, or practices.

1.9
F7625T
Cop. 2

RI
(see back last page)

757

September 1952



SUBJECT MATTER INDEX

TECHNICAL NOTES 1-300

May 1928 - July 1948

(78)

LAKE STATES FOREST EXPERIMENT STATION

U. S. Department of Agriculture - Forest Service
University Farm, St. Paul 1, Minnesota

M. B. DICKERMAN, DIRECTOR

LAKE STATES FOREST EXPERIMENT STATION

TECHNICAL NOTES, Nos. 1 - 300

SUBJECT MATTER INDEX

Forest Management and Silviculture

No.

- 6 Growth of northern hardwoods after partial cutting.
- 9 What happens to millions of little trees in a virgin hardwood forest.
- 16 Breakage no obstacle to selective logging.
- 17 How much light do forest trees need?
- 18 Ordinary white daylight is best for growth of trees.
- 25 Ground vegetation - an indicator of forest growth.
- 26 More light in the forest?
- 28 Germination and survival of conifers under aspen.
- 32 Drought resistance of forest plants.
- 33 Effect of forest cover on drought injury to undergrowth.
- 35 Sunlight and forest growth.
- 46 Is light important immediately after germination?
- 51 Jack pine - pulpwood or sawlogs?
- 52 Growing bigger and better aspen.
- 53 Aspen and birch follow pine cutting in northeastern Minnesota.
- 54 How to cut black spruce.
- 61 Release cuttings needed in natural second-growth stands.
- 64 How to thin young Norway pine.
- 67 Paper birch - a windfirm tree.
- 76 Damage to young growth by logging.
- 79 Mortality in selectively cut northern hardwoods.
- 84 Is jack pine a prolific seeder?
- 91 Soils as a guide in forest management.
- 92 Growth rate of aspen indicates potential forest cover.
- 95 Regional variation in composition of old growth northern hardwood forests.
- 97 What trees withstand drought best?
- 101 Soil treatment greatly increases jack pine reproduction.
- 105 Natural reproduction is affected by weather conditions.
- 118 Large quantities of seed produced by northern hardwood forest.
- 119 Windfirmness of black spruce in residual stands.
- 129 Extensions in the range of Lake States trees.
- 134 White spruce on alkaline soils.
- 136 How to obtain effective dispersal of jack pine seed.
- 138 Earlier returns from thinned red pine.
- 141 When to cut jack pine.
- 146 Black spruce maintains a year-round seed supply.
- 147 Black spruce seed is a limited air traveler.

Forest Management and Silviculture (Cont.)

No.

- 152 Comparative resistance of native Wisconsin trees to snow breakage.
- 160 Thinned stands fill up rapidly.
- 161 Effectiveness of soil scarification in promoting jack pine reproduction.
- 164 Relationship of temperature to dispersal of jack pine seeds.
- 165 Jack pine cones in slash open in midsummer.
- 166 Light cuttings in hardwoods show high quality increment.
- 167 Do young second-growth northern hardwoods need care?
- 168 Effect of season on germination and early survival.
- 186 Thinnings assume commercial importance.
- 187 Black spruce should not be cut clean.
- 188 Jack pine reverts to balsam fir in northeastern Minnesota.
- 189 Upland black spruce not a stable type.
- 219 Northern hardwoods can be cut selectively at short intervals.
- 222 Does diameter growth response hold above d.b.h.?
- 228 Effective seeding range of red pine.
- 229 Growth response in sugar maple following light selective cutting.
- 231 What causes mortality in black spruce after partial cutting?
- 234 Young growth little damaged in selective logging of northern hardwoods.
- 237 Mineral soil is favorable seedbed for spruce and fir.
- 238 Thinnings for pulpwood increase timber yield.
- 240 Shrub growth hinders black spruce reproduction in swamps.
- 247 Stand changes following light selection cutting.
- 249 Slash removal an important factor in restocking cut-over spruce swamps.
- 250 Season of cutting affects aspen sprouting.
- 251 How to improve aspen stocking following summer logging.
- 253 Cutting immature oak timber sacrifices quality increment.
- 254 Successful jack pine regeneration in Lower Michigan.
- 257 Aspen suckers can produce well-stocked mature stands.
- 261 Extended periods of seedfall of white spruce and balsam fir.
- 263 Thinning young aspen can pay.
- 277 Skidding damage by tractors and horses in selective logging of northern hardwoods.
- 278 Response of young aspen suckers to overhead shade.
- 279 Thinning in cedar swamps.
- 281 Young hardwood crop trees can be selected.
- 297 Mortality losses are low in managed forests.
- 298 The right kind of black spruce growing stock pays off.

Regeneration (Seed, Nursery, Planting)

- 1 Behavior of white, Norway, and jack pine seeds.
- 2 Abandoned fields are best sites for forest planting.
- 5 Climatic seed sources for Norway pine.
- 7 The forest seed crop of 1928.

Regeneration (Seed, Nursery, Planting) (Cont.)

No.

- 12 Germination tests of tree seeds.
- 15 Storage of Norway pine seed.
- 19 Why nurserymen prefer southern seeds.
- 22 Frost hardiness of races of Norway pine seedlings.
- 23 One year of storage benefits white pine seed.
- 24 Germination tests for coniferous seeds.
- 29 Pretreatment of white pine seed for spring sowing.
- 30 Centers for collecting seed of Norway pine.
- 45 Helping Nature to seed the forest.
- 55 Neglected plantations seldom successful.
- 56 Dryness - key to storage of pine seed.
- 60 Direct seeding can sometimes be used in reforestation.
- 63 Well developed stock necessary for successful planting.
- 65 Grading seedlings.
- 80 Planting under aspen can be made successful.
- 87 How effective is the commercial method of treating green ash?
- 88 Why seeds are dormant.
- 89 How can seed dormancy be determined?
- 90 Some new chemical aids in hastening seed germination.
- 96 Prolonged exposure of roots causes death of planting stock.
- 98 What rainfall factor causes drought damage?
- 99 Seedlings or transplants.
- 100 Effect of shade in reducing soil surface temperatures.
- 103 Planting stock must contend with high surface temperatures.
- 104 Does stock balance affect survival?
- 106 Abrasives used in scarifying forest tree seeds.
- 115 Nursery shade requirements of ponderosa pine.
- 117 Winter injury to plantations.
- 125 Heat more injurious than lack of moisture during drought.
- 126 Watering reduces soil-surface temperatures.
- 128 Seed origin affects survival of green ash in the nursery.
- 131 Is spring or fall the better planting season?
- 132 Does freezing injure planting stock?
- 137 Peat or sand for covering on spruce seedbeds?
- 139 Water tables and survival.
- 140 Deep rooting and plantation survival.
- 143 Thinning of conifer seedlings in the nursery produces bigger but fewer plantable trees.
- 144 Beneficial effect of partial shade on field survival.
- 145 Top-pruning of conifer stock a doubtful operation.
- 148 Jack pine seed habits.
- 149 When do jack pine seeds germinate?
- 153 A fast-growing and winter-hardy poplar hybrid still to be found for the Lake States.
- 158 Top-root ratio and size of top very important in fall-planted stock.
- 162 Effect of liquid fertilizers on nursery stock.

Regeneration (Seed, Nursery, Planting) (Cont.)

No.

- 169 Fertilized nursery stock shows increased nursery production and higher field survival.
- 170 When to pick pine cones.
- 173 Storage of red pine seed.
- 176 Testing cone ripeness.
- 177 Effect of temperature on germination.
- 190 Root pruning - a labor saver.
- 218 Disking saves the topsoil in forest planting.
- 226 Nutrients in duff and humus layers increase growth of forest plantations.
- 233 Brush shade increases plantation survival on droughty sites.
- 244 Reforestation retarded by war.
- 256 Restocking black spruce swamps by planting.
- 258 The area reforested in the Lake States.
- 265 Tree species planted in the Lake States.
- 275 Measuring forest nursery stock.
- 276 Planting poorly-drained wet sites.
- 290 Killing nursery weeds with oil sprays.
- 296 Local red pine seed develops best plantations.

Mensuration (Growth, Volume, Yield, Sampling)

- 3 Jack pine yields per acre in Michigan, Minnesota, and Wisconsin.
- 4 Growth of northern white cedar in northern Wisconsin and Minnesota.
- 8 Amount of solid wood per cord of sticks of different diameters.
- 10 Growth in swamps before and after drainage.
- 36 Open-grown trees of the same height and diameter have less volume.
- 37 Volume of second-growth Norway pine, board feet - International 1/8-inch rule (tree height in feet).
- 38 Volume of second-growth Norway pine, board feet - Scribner Dec. C (tree height in feet).
- 39 Volume of second-growth Norway pine, cubic feet.
- 40 Volume of black spruce, merchantable - cords.
- 41 Volume of black spruce, cubic feet.
- 42 Volume of second-growth Norway pine, board feet - International 1/8-inch rule (tree height in 16-foot logs).
- 43 Volume of second-growth Norway pine, board feet - Scribner Dec. C (tree height in 16-foot logs).
- 62 Growth of hardwoods.
- 66 Solid contents of standard cords (peeled black spruce pulpwood).
- 68 Volume of sugar maple, board feet - Scribner.
- 69 The Lake States cruiser stick.
- 70 Jack pine normal stand tables.
- 71 Aspen normal stand tables.
- 72 Determining volumes without volume tables.
- 73 Stand and yield table for jack pine.
- 74 How much solid wood in a cord?

Mensuration (Growth, Volume, Yield, Sampling) (Cont.)

No.

- 107 Scaling cull in standing trees in board feet, Scribner rule.
108 Bark thickness of saw-timber trees in Michigan.
112 Volume of plantation cottonwood (board feet - Scribner).
113 Peeled volume of plantation cottonwood (cubic feet).
114 Conversion of tree volumes from Scribner to International 1/4" rule.
150 Effect of utilization standards on pulpwood yield.
151 Pulpwood volume losses due to peeling and shrinkage.
155 Taper table for jack pine (Pinus banksiana).
181 Short cuts in scaling. I. Measuring sample truckloads.
182 Short cuts in scaling. II. Using stacked dimensions to obtain board-foot volume.
183 Short cuts in scaling. III. Measuring sample logs.
184 Volume of fuel wood in tree tops.
185 Cordwood volume table for hardwoods.
194 Yields from tie bolts.
197 How many pulpwood bolts per cord?
198A Taper table I - basswood.
198B Taper table II - elm.
198C Taper table III - oak, red and white.
198D Taper table IV - sugar maple.
198E Taper table V - yellow birch.
202 A composite cordwood volume table for the Lake States.
203 Composite board-foot volume tables for the Lake States.
215 Overrun of lumber from aspen bolts.
225 Quick field-calculator of volume and growth of trees.
241 A composite cordwood volume table for pulpwood species in the Lake States.
266 Taper table for aspen (Populus tremuloides) - well-stocked stands.
268 Yield table for cottonwood plantations.
269 How many fence posts to a cord?
274 Pulpwood volume increased by closer utilization.
283 Converting volumes between International 1/4-inch rule and Scribner rule.
287 Converting volumes between International 1/4-inch rule and the Doyle rule.
300 Yields of aspen in unmanaged stands.

Protection

a. Fire

- 21 How long does hardwood slash remain a fire menace?
31 Selective logging and close utilization - a solution to the slash problem in northern hardwoods.
34 Fire hinders conversion of aspen to pine and spruce.
44 Spring fires on the jack pine plains.

Protection (Cont.)

No.

- 47 Test of portable hand power fire pumps.
- 48 Comparative merits of different portable power fire pumps.
- 57 How soon after a fire can damage be determined?
- 58 Fire damage as affected by season of burning.
- 59 Slash disposal - jack pine.
- 75 Estimating fire damage in the Lake States.
- 77 Damage to advance growth by slash disposal.
- 78 Relative hazard and estimated cost of protection by forest types - Lake States.
- 83 Use of calcium chloride in forest fire control.
- 120 Effect of spring fires on sprout oak stands.
- 154 Twenty-five years of forest fires in the Lake States.
- 199 More effective measurement of forest fire danger.
- 217 Disking reduces slash fire hazard in the jack pine type.
- 242 Forest fire control pays.
- 280 Forest fires in the Lake States in 1946.
- 286 October 1947 drought conditions cause high forest fire danger in the Lake States.
- 295 The 1947 forest fire season in the Lake States.

b. Insects and Diseases

- 246 Treated paper birch and aspen posts give good service.
- 255 A quick method of estimating cull in northern hardwood stands.

c. Wildlife

- 27 By the forest ye shall know the birds.
- 82 Control of rabbit injury.
- 109 Woody food preferences of the snowshoe rabbit in the Lake States.
- 116 Rabbits cause great losses to plantations in brushy areas.
- 121 Damage from rabbits - a consideration in shelterbelt planting.
- 133 Food habits of Minnesota deer.
- 159 White cedar for deer food.
- 172 The animal factor in natural reproduction of jack pine.
- 259 Jack pine regeneration retarded by rodents and birds.

Forest Survey (Forest Resources)

- 85 Forest surveys an aid to sustained yield production.
- 93 Forest areas in Minnesota.
- 110 Fuelwood more valuable than lumber in Minnesota.
- 111 Millions of posts needed to repair Minnesota fences.
- 127 Fence posts a million-dollar crop in Michigan.
- 163 Ten million dollars worth of lumber produced in Wisconsin, 1938.
- 178 Production of lumber, lath, and shingles in Minnesota, 1940.
- 179 Production of lumber, lath, and shingles in Wisconsin, 1940.
- 180 Production of lumber, lath, and shingles in Michigan, 1940.

Forest Survey (Forest Resources) (Cont.)

No.

- 191 Michigan lumber production largest since 1929.
- 192 Minnesota lumber cut largest in eleven years.
- 193 War demands strain Wisconsin saw-timber resources.
- 195 Hemlock tanbark production should be increased.
- 201 Farmer custom sawing is increasing.
- 204 Lake States lumber production well sustained in 1942.
- 205 Michigan lumber production declined slightly in 1942.
- 206 Minnesota mills saw more lumber in 1942.
- 207 Wisconsin lumber production increased slightly in 1942.
- 208 Lake States lumber production off 34 percent in 1943.
- 209 1943 lumber production lagging in Minnesota.
- 210 Michigan lumber production declines in 1943.
- 211 Wisconsin sawmills cutting less lumber in 1943.
- 212 Michigan not cutting enough fuelwood.
- 213 Fuelwood scarce in Wisconsin.
- 214 Minnesota faces fuelwood shortage.
- 216 A new trend in small sawmill operation.
- 221 Elimination of seasonal variation in lumber production - a hopeful trend.
- 227 Oak is the favorite tie species in southern Wisconsin.
- 232 Tie production important in southwestern Wisconsin.
- 236 Cross tie production in the Lake States.
- 239 Fuelwood production lags in Wisconsin.
- 243 Minnesota pole requirements heavy.
- 252 Most Lake States lumber now produced by smaller sawmills.
- 271 1946 Michigan lumber production continues at high level.
- 272 Wisconsin lumber production increased in 1946.
- 273 Minnesota sustains high level lumber production in 1946.
- 284 Veneer log production in the Lake States continues at high level.
- 288 Aspen takes lead as pulping species in Lake States.
- 289 Small sawmills cut much lumber in southern Minnesota.
- 294 Lake States operators increase cut of excelsior wood - 1946.

Forest Economics

- 11 Returns from selective logging.
- 20 How much does it cost to thin?
- 50 The future of aspen in the Lake States.
- 86 Ownership and use of land determine tax delinquency.
- 94 Woods and mill cull in merchantable hardwoods.
- 156 Employment provided by cutting and processing forest products in the Lake States.
- 157 Forests give extensive employment.
- 220 Additional volume of spruce pulpwood gained by utilizing to a 1½-inch top.
- 223 Gasoline requirements of small sawmills.

Forest Economics (Cont.)

No.

- 230 Selective logging yields higher grade lumber.
- 235 Part-time woods work of northern farmers helpful in war production.
- 248 Minnesota woodlot yields valuable crop.
- 260 Jack pine pole supply in Minnesota.
- 262 Valuable products can be recovered from No. 2 and poorer logs.
- 270 Second-growth woodland on farms can return an annual income.
- 282 Landownership in sixteen northeastern Minnesota counties.
- 285 Log grade following selection cutting in northern hardwoods.
- 291 Time required to cut black spruce trees.

Forest Influences (Streamflow, Erosion Control, Climate, Shelterbelts)

- 14 Interception of rainfall by the forest.
- 49 The growth of a gully.
- 81 Is prairie forest planting practical?
- 102 The protective influence of the forest.
- 122 New device measures use of water by trees.
- 123 Subsoiling greatly increases tree survival in plains region.
- 124 Forest litter and gravelly soils - effective conservers of water.
- 130 Forest cover keeps frost line at shallow depth. - w 57, 11771-78 105
- 135 Control of snow drifting by design of windbreaks.
- 142 The grazed wood lot - potential flood hazard and low-grade pasture.
- 174 Blowouts in the sandhills reclaimed by trees.
- 175 Saving soil moisture for the trees in the northern great plains.
- 224 Save shelterbelts and you save fuel.
- 245 Wind movement in the plains
- 293 Shelterbelts as "conservers" of moisture.
- 299 How shelterbelts benefit crops.

General

- 13 What causes "bird's-eye" maple?
- 171 How to keep Christmas trees fresh.
- 196 Harvesting maple syrup.
- 200 How the Forest Experiment Station helps in the war effort.
- 264 A simple accurate scale board for small sawmills.
- 267 Lead indicating device for circular saw mill headrigs.
- 292 Sawmill air dogs save time.